

# MATERIALS AND STRUCTURES

Vol. 46 - 2013

SPIS TREŚCI

No. 1/2 (357/358)

- 1 The effect of drying method on ordinary Portland cement surfaces during the early stages of hydration / **J.M. Makar, T. Sato**
- 13 Analysis of interactions between damage and basic creep of HPC and HPFRC heated between 20 and 80 °C / **W. Ladaoui, T. Vidal, A. Sellier, X. Bourbon**
- 25 Effects of particle size of treated CRT funnel glass on properties of cement mortar / **T.-C. Ling, C.-S. Poon**
- 35 Effect of moist curing and use of lightweight sand on characteristics of high-performance concrete / **S.-D. Hwang, K.H. Khayat, D. Youssef**
- 47 Characterization of stripping properties of stone material in asphalt / **Å.L. Lyne, P. Redelius, M. Collin, B. Birgisson**
- 63 Experimental investigation and numerical analysis of tuff-brick listed masonry panels / **E. Grande, A. Romano**
- 77 Concrete dielectric properties investigation using microwave nondestructive techniques / **M. Jamil, M.K. Hassan, H.M.A. Al-Mattarneh, M.F.M. Zain**
- 89 Resistance of concrete with blast-furnace slag against chlorides, investigated by comparing chloride profiles after migration and diffusion / **M. Maes, E. Gruyaert, N. De Belie**
- 105 Use of neutron radiography and tomography to visualize the autonomous crack sealing efficiency in cementitious materials / **K. Van Tittelboom, D. Snoeck, P. Vontobel, F.H. Wittmann, N. De Belie**
- 123 Non-steady state chloride diffusion in concrete with different crack densities / **S. Mu, G. De Schutter, B. Ma**
- 135 The influence of different preparation methods on the aggregation status of pyrogenic nanosilicas used in concrete / **A. Bagheri, T. Parhizkar, H. Madani, A.M. Raisghasemi**
- 145 A comparison of engineered cementitious composites versus normal concrete in beam-column joints under reversed cyclic loading / **F. Yuan, J. Pan, Z. Xu, C.K.Y. Leung**
- 161 Design and optimization of maintenance strategies for a long life-span port project / **L. Yang, K. Li, X. Pang**
- 173 Experimental and analytical investigation of crack development in composite reinforced laminated arch / **B. Kasal, R. Blass**
- 181 Briques silico-calcaires autoclavées: influence de l'addition de laitier de haut fourneau sur la formation des phases / **N. Arabi, R. Jauberthie, A. Sellami**
- 191 Transient strain of self-compacting concrete loaded in compression heated to 700 °C / **J. Tao, X. Liu, Y. Yuan, L. Taerwe**
- 203 Seismic retrofitting solution of an adobe masonry wall / **A. Figueiredo, H. Varum, A. Costa, D. Silveira, C. Oliveira**
- 221 The influence of osmotic pressure on poulticing treatments for cultural heritage objects / **V. Voronina, L. Pel, A. Sawdy, K. Kopinga**
- 233 Role of the nature of reaction products in the differing behaviours of fine glass powders and coarse glass aggregates used in concrete / **R. Idir, M. Cyr, A. Tagnit-Hamou**

- 245 A fractal-based approach for the determination of concrete surfaces using laser scanning techniques: a comparison of two different measuring systems / **S. Werner, I. Neumann, K.-C. Thienel, O. Heunecke**
- 255 Experimental study on dynamic behaviours of concrete after exposure to high temperatures up to 700 °C / **J.S. Huo, Y.M. He, L.P. Xiao, B.S. Chen**
- 267 Improvements on asphalt mixtures rutting performance characterization by the use of low shear viscosity / **F. Morea, R. Zerbino, J. Agnusdei**
- 277 A high performance fibre reinforced cement based plaster for retrofitting RC members / **A. Hajipour, Mahmoud R. Maheri**
- 289 Extension of the Reiner–Riwlin equation to determine modified Bingham parameters measured in coaxial cylinders rheometers / **D. Feys, J.E. Wallevik, A. Yahia, K.H. Khayat, O.H. Wallevik**
- 313 Analysis of effective diffusivity of cement based materials by multi-scale modeling / **W. Dridi**
- 327 Selective dissolution and cementitious property evaluation of converter steel slag / **Z. Li, S. Zhao, X. Zhao, T. He, M. Yan**

## **RILEM TECHNICAL COMMITTEE**

- 337 Recommendation of RILEM TC 178-TMC: Testing and modelling chloride penetration in concrete/Methods for obtaining dust samples by means of grinding concrete in order to determine the chloride concentration profile / **TC 178-TMC**

## **ORIGINAL ARTICLES**

- 345 Effective joining method for pseudo-ductile permanent formwork / **Q. Jin, C.K.Y. Leung, C. Yu**
- 361 Microstructural changes in alkali activated fly ash/slag geopolymers with sulfate exposure / **I. Ismail, S.A. Bernal, J.L. Provis, S. Hamdan, J.S.J. van Deventer**
- 375 Resistance to acid and sulfate solutions of microwave-assisted high calcium fly ash geopolymer / **P. Chindaprasirt, U. Rattanasak, S. Taebuanhuad**
- 383 Three-dimensional finite element analysis of reinforced concrete structural elements regarded as elastoplastic multiphase media / **M.P. Figueiredo, S. Maghous, A.C. Filho**
- 405 Rheology, fiber dispersion, and robust properties of Engineered Cementitious Composites / **M. Li, V.C. Li**
- 421 Fracture characterisation of green-glued polyurethane adhesive bonds in Mode I / **M. Sterley, E. Serrano, B. Enquist**
- 435 Structural behavior of alkali activated fly ash concrete. Part 1: mixture design, material properties and sample fabrication / **J.R. Yost, A. Radlińska, S. Ernst, M. Salera**
- 449 Structural behavior of alkali activated fly ash concrete. Part 2: structural testing and experimental findings / **J.R. Yost, A. Radlińska, S. Ernst, M. Salera, N.J. Martignetti**
- 463 Compaction-interaction packing model: regarding the effect of fillers in concrete mixture design / **S.A.A. M. Fennis, J.C. Walraven, J.A. den Uijl**
- 479 Erratum to: Compaction-interaction packing model: regarding the effect of fillers in concrete mixture design / **S.A.A. M. Fennis, J.C. Walraven, J.A. den Uijl**
- 481 Recommendations for the repair, the lining or the strengthening of concrete slabs or pavements with bonded cement-based material overlays / **B. Bissonnette, L. Courard, H. Beushausen, D. Fowler, J. Silfwerbrand, M. Trevino, A. Vaysburd**
- 495 Erratum
- 497 Assessment of alkali-silica reaction damage through quantification of concrete nonlinearity / **K.J. Leśnicki, J.-Y. Kim, K.E. Kurtis, L.J. Jacobs**
- 511 Erratum

## **COMMENTARY TO**

- 513 Discussion of the paper titled "Design of clay/cement mixtures for extruded building products by Khelifi et al." / **Adnan Çolak, Turgay Coşgun**

**ORIGINAL ARTICLES**

- 519 Wave propagation through engineering materials; assessment and monitoring of structures through non-destructive techniques / **D.G. Aggelis**
- 533 Parameters influencing pressure during pumping of self-compacting concrete / **D. Feys, G. De Schutter, R. Verhoeven**
- 557 Influence of short dispersed and short integral glass fibres on the mechanical behaviour of textile-reinforced concrete / **R. Barhum, V. Mechtcherine**
- 573 Modeling of chloride-induced corrosion in reinforced concrete structures / **J. Zhang, M.M.S. Cheung**
- 587 Rheology of concrete: a study case based upon the use of the concrete equivalent mortar / **F.J. Rubio-Hernández, J.F. Velázquez-Navarro, L.M. Ordóñez-Belloc**
- 607 An experimental study on the residual mechanical properties of fiber reinforced concrete with high temperature and load / **Y. Kim, T. Lee, G. Kim**
- 621 Hydrogen permeation behaviour and associated phase transformations in annealed AISI304 stainless steels / **Y.-F. Li, L.-M. Zhao, H.-L. Pan**
- 629 Gamma ray transmission technique applied to porous phase characterization of low-porosity ceramic samples / **A.C. Moreira, C.R. Appoloni, C.P. Fernandez**
- 639 Defined-performance design of ecological concrete / **S.A.A.M. Fennis, J.C. Walraven, J.A. den Uijl**
- 651 Self-centering of shape memory alloy fiber reinforced cement mortar members subjected to strong cyclic loading / **N. Shajil, S.M. Srinivasan, M. Santhanam**
- 663 Numerical modeling and analysis of ECC structures / **B. Gencturk, A.S. Elnashai**
- 683 Evaluation of the structure-induced rolling resistance (SRR) for pavements including viscoelastic material layers / **O. Chupin, J.-M. Piau, A. Chabot**

**ORIGINAL ARTICLES**

- 697 Evaluating ion diffusivity of cracked cement paste using electrical impedance spectroscopy / **A. Akhavan, F. Rajabipour**
- 709 Lateral behavior of concrete under uniaxial compressive cyclic loading / **E. Osorio, J.M. Bairán, A.R. Marí**
- 725 Experimental evaluation of the enhanced panelized brick veneer over steel stud wall system for out-of-plane loading / **T.C. Kuczynski, A.M. Memari**
- 743 Characterization of the interfacial bond between old concrete substrate and ultra high performance fiber concrete repair composite / **B.A. Tayeh, B.H. Abu Bakar, M.A. Megat Johari**
- 755 White paste for stoneware tiles for pavement using raw clay material from Burkina Faso / **M. Seynou, Y. Millogo, R. Ouedraogo**
- 765 Diagonal compressive strength of masonry samples—experimental and numerical approach / **R. Sousa, H. Sousa, J. Guedes**
- 787 Diffusivity evolution under decalcification: influence of aggregate natures and cement type / **C. Perlot, M. Carcassès, J. Verdier**
- 803 On the fracture behaviour of thin-walled SFRC roof elements / **M. di Prisco, D. Dozio, B. Belletti**
- 831 Characterization of the material from the induction healing porous asphalt concrete trial section / **Q. Liu, E. Schlangen, M. van de Ven**
- 841 In-plane shear behaviour of thin low reinforced concrete panels for earthquake re-construction / **M. Palermo, L.M. Gil-Martín, T. Trombetti, E. Hernández-Montes**
- 857 Behavior of high strength fly ash concrete columns under fire conditions / **W. Khaliq, V. Kodur**
- 869 An examination of the reactivity of fly ash in cementitious pore solutions / **K.L. Aughenbaugh, R.T. Chancey, P. Stutzman, M.C. Juenger, D.W. Fowler**

**ORIGINAL ARTICLES**

- 881 Effects of nano- and micro-limestone addition on early-age properties of ultra-high-performance concrete / **J. Camiletti, A.M. Soliman, M.L. Nehdi**
- 899 Impact of corrosion on mechanical properties of steel embedded in 27-year-old corroded reinforced concrete beams / **Raoul François, Inamullah Khan, Vu Hiep Dang**
- 911 Determination of SSD condition of fine aggregates using AC impedance spectroscopy / **Ping-Ju Lin, Ying-Ji Chuang**
- 921 Early age and hardened performance of cement pastes combining mineral additions / **Gonzalo Barluenga, Irene Palomar, Javier Puentes**
- 943 Fire resistance of reinforced concrete bearing walls subjected to all-sided fire exposure / **S. Lee, C. Lee**
- 959 Development of a poultice for electrochemical desalination of porous building materials: desalination effect and pH changes / **I. Rörig-Dalgaard**
- 971 A new approach to assessing the performance of ASR inhibitors in concrete / **Mario Berra, Umberto Costa, Teresa Mangialardi, Antonio E. Paolini, Renato Turriziani**
- 987 Application of ultrasonic P-wave reflection to measure development of early-age cement-paste properties / **Chul-Woo Chung, Prannoy Suraneni, John S. Popovics, Leslie J. Struble, W. Jason Weiss**
- 999 Design of clay/cement mixtures for extruded building products / **H. Khelifi, A. Perrot, T. Lecompte, G. Ausias**
- 1011 Numerical modeling of the rebar/concrete interface: case of the flat steel rebars / **T.S. Phan, J.-L. Tailhan, P. Rossi, Ph. Bressolette, F. Mezghani**
- 1027 Investigation of asphalt concrete rutting mechanisms by X-ray computed tomography imaging and micromechanical finite element modeling / **Erdem Coleri, John T. Harvey, Kai Yang, John M. Boone**
- 1045 Flexural behavior of reinforced recycled aggregate concrete beams under short-term loading / **Ivan S. Ignjatović, Snežana B. Marinković, Zoran M. Mišković, Aleksandar R. Savić**

**ORIGINAL ARTICLES**

- 1061 Sulfate resistance of Portland-limestone cements in combination with supplementary cementitious materials / **Amir Mohammad Ramezaniapour, R. Douglas Hooton**
- 1075 Validation of the time-temperature superposition principle for crack propagation in bituminous mixtures / **Mai Lan Nguyen, Cédric Sauzéat, Hervé Di Benedetto, Nouffou Tapsoba**
- 1089 Simulation of unbound material resilient modulus effects on mechanistic-empirical pavement designs / **Qinwu Xu, J. Mauricio Ruiz, Mike Moravec, Robert O. Rasmussen**
- 1101 Investigation of thickness and density dependence of thermal conductivity of expanded polystyrene insulation materials / **Ákos Lakatos, Ferenc Kalmár**
- 1107 Bond characteristics of carbon and stainless steel flat rebars with an alternate rib pattern / **Dorleta Ertzibengoa, Stijn Matthys, Luc Taerwe**
- 1123 Effect of ultraviolet aging on rheology, chemistry and morphology of ultraviolet absorber modified bitumen / **Zhen-Gang Feng, Jian-Ying Yu, Heng-Long Zhang, Dong-Liang Kuang, Li-Hui Xue**
- 1133 X-ray radiation shielding properties of cement mortars prepared with different types of aggregates / **Tung-Chai Ling, Chi-Sun Poon, Wai-Shung Lam, Tai-Po Chan, Karl Ka-Lok Fung**
- 1143 Pre-buckling and post-buckling failure at web-flange junction of pultruded GFRP beams / **Yu Bai, Thomas Keller, Chao Wu**
- 1155 Impact of connection between specimen and load plate on viscoelastic material response of hot mix asphalt / **Bernhard Hofko, Ronald Blab**
- 1167 Tensile and compressive creep deformations of hardening concrete containing mineral additives / **G.M. Ji, T. Kanstad, Ø. Bjøntegaard, E.J. Sellevold**
- 1183 Effect of silica fume addition and repeated loading on chloride diffusion coefficient of concrete / **Wu-man Zhang, Heng-jing Ba**
- 1193 In situ measured cross section geometry of old timber structures and its influence on structural safety / **Paulo B. Lourenço, Hélder S. Sousa, Ricardo D. Brites, Luís C. Neves**
- 1209 Development of decay performance models for outdoor timber structures / **Tord Isaksson, Christian Brischke, Sven Thelandersson**
- 1227 Effect of ageing on different modified bituminous binders: comparison between RTFOT and radiation ageing / **M. Naskar, K.S. Reddy, T.K. Chaki, M.K. Divya, A.P. Deshpande**

1243 Editorial / **Jason Weiss Pages**

# **ORIGINAL ARTICLES**

- 1245 Theoretical and experimental validation of a simple method to reproduce representative DEF-prone conditions in laboratory / **Renaud-Pierre Martin, François Toutlemonde**
- 1257 Environmental compatibility of bitumen waterproofing / **Anya Vollpracht, Wolfgang Brameshuber**
- 1265 Modification of steel slag powder by mineral admixture and chemical activators to utilize in cement-based materials / **Xiaolu Guo, Huisheng Shi**
- 1275 Influence of cement content and environmental humidity on asphalt emulsion and cement composites performance / **Alvaro García, Pietro Lura, Manfred N. Partl, Iwan Jerjen**
- 1291 Geopolymerization of a silica residue from waste treatment of chlorosilane production / **G. J. G. Gluth, C. Lehmann, K. Rübner, H.-C. Kühne**
- 1299 Effect of partial replacement of sand by fine crumb rubber on impact load behavior of concrete beam: experiment and nonlinear dynamic analysis / **Mustafa Maher Al-Tayeb, B. H. Abu Bakar, Hanafi Ismail, H. Md Akil**
- 1309 Using the Karsten tube to estimate water transport parameters of porous building materials / **Roel Hendrickx**
- 1321 Ultrasonic wave propagation through lime mortars: an alternative and non-destructive tool for textural characterization / **Anna Arizzi, Javier Martínez-Martínez, Giuseppe Cultrone**
- 1337 UHPFRC tensile behavior characterization: inverse analysis of four-point bending test results / **Florent Baby, Benjamin Graybeal, Pierre Marchand, F. Toutlemonde**
- 1355 Mitigation of autogenous shrinkage in alkali activated slag mortars by internal curing / **A. R. Sakulich, D. P. Bentz**
- 1369 Application of LA-ICP-MS for meso-scale chloride profiling in concrete / **Nelson Silva, Tang Luping, Sebastien Rauch**
- 1383 Investigation on the effects of polymer impregnated aggregate on polymer mortars properties / **J. M. L. Reis, M. A. G. Jurumenha**
- 1389 An improved procedure for obtaining and maintaining well characterized partial water saturation states on concrete samples to be used for mass transport tests / **Carlos Antón, Miguel A. Climent, Guillem de Vera, I. Sánchez, C. Andrade**
- 1401 Gradation-based framework for asphalt mixture / **Bernardita Lira, Denis Jelagin, Björn Birgisson**

**ORIGINAL ARTICLES**

- 1415 Review and discussion of polymer action on alkali-silica reaction / **J. Feiteira, J. Custódio, M.S.S. Ribeiro**
- 1429 Properties and performance of silane: blended cement systems / **M.A. Kargol, U. Müller, A. Gardei**
- 1441 Fracture process and reliability of concrete made from high grade recycled aggregate using acoustic emission technique under compression / **N.N. Kencanawati, S. Iizasa, M. Shigeishi**
- 1449 Strength and stress-strain characteristics of traditional adobe block and masonry / **F. Wu, G. Li, H.-N. Li, J.-Q. Jia**
- 1459 An empirical model for modified bituminous binder master curves / **S.M. Asgharzadeh, N. Tabatabaee, K. Naderi, M. Partl**
- 1473 Mechanical properties of prestressed self-consolidating concrete / **W.-J. Long, K.H. Khayat, S.-D. Hwang**
- 1489 Mechanical property-porosity relationships of layered calcium silicate hydrate phases / **P. Pourbeik, J.J. Beaudoin, R. Alizadeh, L. Raki**
- 1497 Pore structure and permeability of hardened calcium aluminate cement pastes of low w/c ratio / **G.J.G. Gluth, B. Hillemeier**
- 1507 Investigation the glazability of dimension andesites with glaze coating materials containing boron minerals in construction sector / **G. Sarıışık, A. Sarıışık, M.K. Gökay**
- 1519 Microindentation creep of secondary hydrated cement phases and C-S-H / **D.-T. Nguyen, R. Alizadeh, J.J. Beaudoin, L. Raki**
- 1527 Temperature and humidity influences on the on-site active marine corrosion of reinforced concrete elements / **Y.A. Villagrán Zaccardi, A. Bértora, A.A. Di Maio**
- 1537 Analytical and experimental study on thermal conductivity of hardened cement pastes / **M. Hajmohammadian Baghban, P.J. Hovde, S. Jacobsen**
- 1547 Repair of cracks in simply supported beams using epoxy injection technique / **S. Ahmad, A. Elahi, S. Barbhuiya, Y. Farooqi**
- 1561 Structural build-up of rigid fiber reinforced cement-based materials / **A. Perrot, T. Lecompte, P. Estellé, S. Amziane**
- 1569 Capacity of unreinforced rammed earth walls subject to lateral wind force: elastic analysis versus ultimate strength analysis / **D. Ciano, C. Augarde**
- 1587 Effects of grading procedures on the scatter of characteristic values of European grown sawn timber / **P. Stapel, J.-W.G. van de Kuilen**

**ORIGINAL ARTICLES**

- 1599 Hydration kinetics of high-performance cementitious systems under different curing conditions / **S. Zhutovsky, K. Kovler**
- 1613 Mechanisms of strength loss in underwater concrete / **J.J. Assaad, C.A. Issa**
- 1631 Stability of hydraulic grouts for masonry strengthening / **A. Miltiadou-Fezans, T.P. Tassios**
- 1653 Penetrability of hydraulic grouts / **A. Miltiadou-Fezans, T.P. Tassios**
- 1673 Evaluation of the anti-rutting potential of polymer-modified binders by means of creep-recovery shear tests / **E. Santagata, O. Baglieri, D. Dalmazzo, L. Tsantilis**
- 1683 Factors influencing fire spalling of self compacting concrete / **R. Jansson, L. Boström**
- 1695 Effect of physical, chemical and electro-kinetic properties of pumice on strength development of pumice blended cements / **M. Tapan, T. Depci, A. Özvan, T. Efe, V. Oyan**
- 1707 Prediction of chloride permeability of concretes containing ground pozzolans by artificial neural networks / **S. Inthata, W. Kowtanapanich, R. Cheerarot**
- 1723 Effect of moisture on the reliability of void detection in brickwork masonry using radar, ultrasonic and complex resistivity tomography / **P. Cotic, Z. Jaglicic, E. Niederleithinger, U. Effner, S. Kruschwitz, C. Trela, V. Bosiljkov**
- 1737 Adhesion between bitumen and aggregate: implementation of spectroscopic ellipsometry characterisation and estimation of Hamaker's constant / **Å.L. Lyne, O. Krivosheeva, B. Birgisson**
- 1747 Thermomechanical characterization of asphalt mixtures modified with high contents of asphalt shingle modifier (ASM®) and reclaimed asphalt pavement (RAP) / **H. Baaj, M. Ech, N. Tapsoba, C. Sauzeat, H. Di Benedetto**
- 1965 Workability study of concretes made with recycled mortar aggregate / **M.B. Leite, J.G.L. Figueirêdo Filho, P.R.L. Lima**
- 1779 **ERRATUM**

**ORIGINAL ARTICLES**

- 1781 Concrete cover cracking due to uniform reinforcement corrosion / **A.O.S. Solgaard, A. Michel, M. Geiker**
- 1801 Characterization and evaluation of wood strand composite load capacity with near infrared spectroscopy / **B. Via**
- 1811 An analytical model for design of reinforcement around holes in Laminated Veneer Lumber (LVL) beams / **M. Ardalany, M. Fragiaco, P. Moss, B. Deam**
- 1833 Efficiency of curing technologies: strength and durability / **R. Wasserman, A. Bentur**
- 1843 Effectiveness of advanced composites in repairing heat-damaged RC columns / **H. Al-Nimry, R. Haddad, S. Afram, M. Abdel-Halim**
- 1861 Simulation of the microstructure formation in hardening self-compacting cement paste containing limestone powder as filler via computer-based model / **X. Liu, G. Ye, G. De Schutter, Y. Yuan**
- 1881 Self-healing efficiency of unhydrated cement nuclei for dome-like crack mode in cementitious materials / **Z. Lv, H. Chen**
- 1893 Double edge wedge splitting (DEWS): an indirect tension test to identify post-cracking behaviour of fibre reinforced cementitious composites / **M. di Prisco, L. Ferrara, M.G.L. Lamperti**
- 1919 A simple mix design method for structural lightweight aggregate concrete / **J.A. Bogas, A. Gomes**
- 1933 Textile Reinforced Concrete: experimental investigation on design parameters / **I.G. Colombo, A. Magri, G. Zani, M. Colombo, M. di Prisco**
- 1953 **ERRATUM**

**ORIGINAL ARTICLES**

- 1973 Prediction model for the load-carrying capacity of nailed timber joints subjected to plug shear / **Helena Johnsson, Gabriela Parida**
- 1987 A long-term ultraviolet aging procedure on foamed WMA mixtures / **Feipeng Xiao, David Newton, Bradley Putman, V.S. Punith, S.N. Amirkhanian**
- 2003 Deterioration of mortar bars immersed in magnesium containing sulfate solutions / **Wolfgang Kunther, Barbara Lothenbach, Karen L. Scrivener**
- 2013 Rotation capacity and stress redistribution ability of R-UHPFRC-RC composite continuous beams: an experimental investigation / **Talayeh Noshiravani, Eugen Brühwiler**
- 2029 Crumb rubber aggregate coatings/pre-treatments and their effects on interfacial bonding, air entrapment and fracture toughness in self-compacting rubberised concrete (SCRC) / **Khalid Battal Najim, Matthew Robert Hall**
- 2045 Microstructure and fracture morphology of carbon nano-fiber modified asphalt and hot mix asphalt mixtures / **Mohammad J. Khattak, Ahmed Khattab, Pengfei Zhang, H.R. Rizvi, T. Pesacreta**
- 2059 Simplified approach for evaluating residual strength of fire-exposed reinforced concrete columns / **V.K.R. Kodur, N.K. Raut, X.Y. Mao, W. Khaliq**
- 2077 Microwave dielectric heating to disassemble a modified cementitious joint / **Jaechol Ahn**
- 2091 Prestress loss due to creep and shrinkage of high-strength calcium silicate element masonry with thin-layer mortar / **L.J. van der Meer, D.R.W. Martens, A.T. Vermeltfoort**
- 2109 An evolutionary approach for modeling of shear strength of RC deep beams / **Amir Hossein Gandomi, Gun Jin Yun, Amir Hossein Alavi**
- 2121 Experimental tests of a new hysteretic damper made of buckling inhibited shear panels / **Giuseppe Brando, Federica D'Agostino, Gianfranco De Matteis**
- 2135 Cementitious composites with glass waste from recycling of cathode ray tubes / **A.M. Moncea, A. Badanoiu, M. Georgescu, S. Stoleriu**